



The Collaborative Science, Technology, and Applied Research (CSTAR) Program

3rd NOAA Testbed and Operational Proving Ground Workshop
May 3, 2012

Curtis H. Marshall, Ph.D.

3/22/2005 9:22 AM



Outline



- ✓ What?
 - Types of awards
 - Mechanics
 - History
- √ Who/Where?
 - Current Projects



CSTAR Program Overview



- ✓ An umbrella program for NWS/university collaborative research consisting
 of:
 - Fully competitive, in-house, applied research grant program started in 2000
 - One to three-year studies--maximum funding level \$125K/yr
 - Objective: To improve local NWS forecast and warning services by exploiting S&T improvements to the fullest
 - Applied research and education projects involving collaboration between NWS forecasters and university experts ("grassroots" R2O)
 - Proposals must address national, regional or NCEP-related science needs/priorities



COMET Outreach



COMET Outreach Program

- Smaller-scale competitive grant program managed by UCAR/COMET via OST funding and oversight
- Cooperative Projects: one- to three-year studies of \$30-\$40K/year
- Partners Projects: One-year, up to \$15K/year
- Case-study oriented
- Workshop support



Mechanics



- CSTAR FFO/RFP issued every summer (every 3rd year is an "off year")
- RFP based on science priorities established with input of SSD Chiefs, NCEP, and others
- Proposals evaluated by team consisting largely of the above
- Announcement of awards around the New Year
- Funding obligated by May 1
- COMET Outreach RFP administered by COMET



CSTAR Benefits



✓ Forecast and Warning Improvement

- Quantitative comparisons demonstrate offices participating in collaborative research projects outperform those that do not (Waldstreicher, 2005)
- Accelerated transition of research to operations

✓ Leveraging Resources

- Value of engaging world-class researchers, staffs, students at academic institutions far exceeds cost
- Excellent student recruiting tool for university recipients



CSTAR Benefits



- ✓ As of early Spring 2012, at least 76 CSTAR "alumni" have been subsequently employed by NOAA
- ✓ 3 former Pls
- ✓ Of the 76 students, at least 71 are currently full time NOAA employees
- ✓ 6 SOOs





University of Oklahoma

- "A Partnership to Develop, Conduct, and Evaluate Realtime Convection-Resolving Probabilistic and Deterministic Forecasts for Convective-scale Hazardous Weather: Moving to the Next Level"
- Pls: Ming Xue, Xuguang Wang, Fanyou Kong, and Keith Brewster
- NWS Collaborating Offices: SPC, AWC, EMC, WFO OUN
- Provide HWT storm-scale ensemble forecasts for demonstrating and evaluating potential future high-resolution, convection-permitting and convection-resolving NWP products.
- Term: 5/1/10 4/30/13




Current CSTAR Awards University of Utah




Advancing Analysis, Forecast and Warning Capabilities for High Impact Weather Events. Pls: John D. Horel and W. James Steenburgh. NWS Collaborating Offices: Multiple WFOs, WR

Further improvements to MesoWest (access to new networks & new quality control procedures & data mining tools)


Stations in MesoWest Distributed to MADIS



Investigations of impacts of surface observations as a function of network type



Impacts of atmospheric rivers on precipitation in the western U.S.







Texas A&M (Galveston)

"Development of an Integrated Wave-Current-Wind Forecasting System for Coo Inlet: Supplementing NCEP's Forecasting Efforts"

- Pls: Vijay Panchang
- NWS Collaborating Offices: WFOs Galveston/Houston, Anchorage, EMC/MMB
- 2-day ocean wave prediction system for Cook Inlet AK using WRF, WAVEWATCH III and SWAN
- Term: 5/1/10 4/30/13




University at Albany, SUNY




Cool- and Warm-Season Precipitation Forecasting over the Eastern U.S.

Pls: Lance Bosart and Dan Keyser; Students: Chris Castellano, Dan Thompson, and Matt Potter

NWS Focal Points: John Quinlan, Kevin Lipton, and Tom Wasula (WFO-ALY); Matt Kramar (WFO-LWX)




- Ice storms are most frequent over elevated terrain, along prominent mountain ranges, and within protected valleys
- Ice storm occurrence is heavily influenced by synoptic and mesoscale topographic features, as well as proximity to large bodies of water



- Appalachian lee trough (ALT) days are associated with higher CAPE and more severe thunderstorm reports than non-ALT days
- Severe thunderstorm reports on ALT days are maximized from southeastern Pennsylvania to northeastern Virginia and from southwestern Virginia to northwestern South Carolina

250-hPa wind speed (shaded, m s⁻¹), 1000–500-hPa thickness (dashed, dam), and MSLP (black, hPa)



- Inland flooding from TC Camille occurred with lower-tropospheric frontogenesis in a warm, moist environment characterized by upslope flow
- Inland reintensification of TC Danny occurred in a favorable environment for deep, moist ascent near the equatorward entrance region of a 250-hPa jet




SUNY Stony Brook




Predictability of High Impact Weather during the Cool Season over the Eastern U.S.

NWS CSTAR Partners: David Novak and Mike Bodner (HPC); Yuejian Zhu, Yan Luo; Jun Du, and Jordan Alpert (EMC); Joseph Sienkiewicz (OPC), Jeff Tongue (WFO-OKX); Al Cope (WFO-PHI); Richard Grumm et al. (WFO-CTP)



- * Complete a Rossby Wave Packet Climatology and Ensemble Validation Using Automated Tracking.
- ✓ (ALPS, wave packets...) and post-processing (BMA)



- ★ Explore the predictability of mesoscale snowbands using multi-model ensembles.
- * Develop a real-time ensemble sensitivity tool to point forecasters toward important upstream synoptic features.







"Improving Prediction of Severe Winds, Convection, and Heavy Precipitation in the Southeastern United States"

- Pls: Gary Lackmann, Matt Parker, Anantha Aiyyer
- NWS Collaborating Offices: WFOs throughout SE, EMC, SPC, TPC
- Inland wind accompanying tropical cyclones, heavy precipitation and localized flodding associated with TCs, severe convective storms under conditions of marginal instability and strong vertical shear

• Term: 5/1/10 - 4/30/13






Texas Tech University



Integration of Forecast Sensitivity into the NWS Forecasting Process to Improve Predictability of High-impact Weather

NWS CSTAR Partners: The SPC and the WFOs of Lubbock, Amarillo, Corpus Christi, Norman, Dallas/Ft. Worth, Albuquerque, and Austin/San Antonio


Pis: Brian Ancell and Christopher Weiss



Cross-grid 06-hr Forecast Sensitivity of 4-km Domain SLP in Green Box to 00-hr 12-km Domain 500GPH

Project Goals

- 1) Development/integration of cross-grid forecast sensitivity of severe convection, winter storms, and flooding into NWS operations
- 2) Development/forecaster evaluation of high resolution ensemble products using a 12km/4km nested ensemble Kalman filter (EnKF) assimilation/forecasting system



Probability of 10-hr forecast surface wind speed exceeding 20mph with 33-member 4-km EnKF





Portland State University

"Towards Objective Multi-Modeling for Multi-Institutional Seasonal Water Supply Forecasting"

Pls: Hamid Moradkhani

Collaborating Offices: NWRFC, CBRFC

 Optimally combine the multi-model ensemble hydrologic forecasts usung the Community Hydrologic Prediction System (CHPS) as a framework to incorporate the suite of water supply forecasting models developed over the last three decades.

• Term: 5/1/11 – 4/30/14



COMET OUTREACH Current Awards



- Approximately 19 ongoing Partners Projects
- 5 ongoing Cooperative Projects
- No OST-overseen RFP for Cooperative projects in recent years due to lack of funds
- However several Cooperative Projects and Partners Projects supported by GOES-R Program Office



THANK YOU



Questions/Comments?

Curtis Marshall

Curtis.Marshall@noaa.gov

(301) 713-3557 x179